

# INTEGRATED SECURITY SOLUTION FOR BANKING & FINANCE

-Security  
-Smart  
-End to End



#### Personal Safety

- 4K UHD
- Ultra Smart



#### Property Safety

- Behavior Analytics
- Smart Transaction Record



#### Business Integration

- Face Recognition
- Remote Inspection



#### Management Efficiency

- Customer Traffic Statistics
- Centralized Management



## INDUSTRY CHALLENGES AND SOLUTION

### Challenges



#### Personal Safety Issues

Robbery  
Mugging  
Kidnapping



#### Business Issues

Data safety  
Manual inspection  
Poor VIP experience



#### Property Safety Issues

Theft  
Fraud  
Sabotage



#### Management Issues

Isolated information  
Manual authorization  
Customer traffic statistics

### How to address the challenges



#### How to guarantee personal security?

- Capture clear facial image with 4K cameras
- Prevent critical events with ultra-smart cameras



#### How to guarantee property security?

- Identify risks and activate alarm in time by intelligent behavior analysis
- Overlay the transaction information on the video to guarantee property safety



#### How to combine with business?

- Inspect the key areas by system
- Identify VIP customers by face recognition



#### How to improve management?

- Remote authorization
- Centralized management platform

### SOLUTION



# SOLUTION OVERVIEW

## Cash Transaction Area

Large volume of cash transaction, high-definition facial picture and recorded transaction information is necessary to avoid potential disputes.



## Security Center

- Data safety
- System stability and reliability
- Abundant alarm mechanism



## ATM

- Prevent security risks from robberies, muggings, ram raids
- Comprehensive monitoring
- Video footage




## Lobby

Large areas with lots of customers, require high-definition and no blind spots video.



## Outdoor

Complicate environment, rapidly changing sunlight conditions require high-definition, ultra wide angle, starlight technology.



## Entrance

Clear facial image in sharp sunlight, VIP recognition improve customer's experience.



# APPLICATION AREA

## Outdoor



To ensure the property and personnel safety of customer outside the bank, outdoor camera aims to avoid being traced and robbed by criminals, also facilitate the time of the incident control and evidence.

- Multi-lens with 180 degree panoramic view



- No loss under no lux, outstanding visibility under the starlights.




- 4K real time monitoring, excellent image performance:

Within 15 meters, clear face features and license plate numbers of the car can be observed.



Within 40 meters, the characteristics of the physical appearance of the person and the car can be detected.



## Entrance



Lots of people go in and out frequently with intense sunlight contrast, a camera with true WDR and smart function is must-have.




WDR Off

WDR On

### • Super WDR Camera:

Dahua ultra smart series cameras can reach up to 140dB wide dynamic range for obtaining a crystal clear image quality even in high contrast sunshine environment.




### • Face Recognition:

Facial Recognition help you improve VIP customer service and protect your assets by identifying potential perpetrators.

## Lobby

The lobby areas are the most visited locations that require high detailed facial images and no blind spots.

- 4K ultra smart fisheye with 360 degree overview and high definition to get the best coverage





## Cash Transaction Area

High volumes of financial transactions each day – from signing documents to approving loans – may leave institutions vulnerable to customer misunderstandings or disputes.



- Using built-in pinhole camera, close-up face images captured by picture in picture function while transaction information overlays in the video to avoid disputes or misunderstandings from customer.



- 1+1 panic button

The alarm can be triggered in time if there is an emergency

## ATM Area




To ensure the property and personnel safety of customer and protect the asset, discreet vandal-proof pinhole cameras keep a watchful eye on ATMs, serve as a deterrent, and send automatic alerts when criminals attempt to steal or damage your property so that you can take immediate action.




- Intelligent face analysis, send automatic alarms if detect exceptional phenomenon.



- Anti-skimming, recognize ATM-skimming and detention time of the customer.



- Advertising stickers
- Fake card reader
- Fake keyboard



- Enter detection
- Detention detection
- Leave detection

## Security Center




DSS7016 is the CCTV system core that manages, views, plays back, and controls all the daily operations among all devices, the system works in master-slave mode and unified management of whole system resources.

- **Embedded NVR:** Dahua has the richest embedded network recorder product line – from 4 channels to 256 channels – for every level of needs
- **Network Storage:** A must-have product line for total secure data storage
- **Decoder:** Abundant 4k resolution decoders provide connection to the TV wall
- **Display:** Dahua has a variety of display devices, from standalone monitors to large TV walls

## SOLUTION TOPOLOGY

### System Topology



## SOLUTION HIGHLIGHTS

### Highlights

- **High Definition:** High resolution of 4K, improve image quality greatly.
- **High Cost-Efficiency:** Multi-function product, reuse the existing cable and easy to install, greatly save the investment.
- **VIP Service:** Through face recognition function, enhance the VIP customer experience.
- **Integrated and Compatibility:** End to end system, compatible with third-party system.
- **Smart Transaction Record:** Record the transaction information and clear facial picture, provide strong proof if disputes or misunderstandings from the customer.
- **Abnormal Behavior Recognition:** The system recognizes abnormal behavior based on intelligent video analysis and sends alerts to the security center, informing workers of the situation.



## KEY TECHNOLOGY

### H.265

H.265 = H.264 + ?


Dahua is the pioneer of H.265 implementation in surveillance industry. The adoption of H.265 can greatly reduce the transmission bandwidth and storage capacity while maintaining the same video image quality.

The full adoption of H.265 can best protect your investment and be an important enabler for Ultra High Definition (4K) surveillance in a reasonable cost.

**H.264+** **Higher compression ratio**  
**50% savings on storage/transmission**  
**Let 4k become more realistic**  
**And the future.....** **= H.265**

### Video+

Reconstruction of the human upper body modeling, using the most advanced machine learning algorithm and video structure, quickly identify a variety of face attributes, such as age, gender, facial expression and so on.




#### Video+ application scenario :

##### VIP Recognition

When the VIP customers arrive at the business hall, the account manager can be promptly notified and provide proper service, to improve VIP customers experience.

##### Technology Principle:



## Advantage Analysis:



Millions of gallery with second level response



Beyond the human eye recognition



Non-contact, multi-angle recognition

## Customer Value:




Timely notify the lobby manager, enhance the quality of VIP services



Reduce VIP waiting time, improve VIP satisfaction


## Data Safety

Data safety is paramount part in Bank, Dahua's data safety technology guarantees the data safety if there are some unexpected incidents, such as device break down, network connection fails and so on.




### Server Redundancy Design

- Master & Hot Stand-by servers.
- "Keep Alive" function automatically backs up users' information if one server is interrupted.
- When the master server fails or disconnects, the hot stand-by server switches to active mode automatically to keep the whole system running properly.



### Auto Network Recovery(ANR)

- Auto backup if network connection fails.
- Data moves from SD card to back-end device while network connection is restored.
- We recommend using Dahua brand SD card.



### N+M Hot Standby

- N master NVRs in running mode.
- M slave NVRs in standby mode.
- No data lost, when any active NVR is out of service, the hot standby NVR can take over recording automatically.

## PRODUCT SHOWCASE

### IPC-PFW8800-A180



- Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS
- H.265/H.264 triple-stream encoding
- Max 25fps@4096x1800
- Support 180-degree panoramic view
- Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Smart detection
- Intelligent Function
- Max. IR LEDs length 30m
- Micro SD memory, IP67, IK10, PoE+

### IPC-HF8242F-FD



- 1/1.9" 2Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 50/60fps@1080P(1920×1080)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Face Detection: built-in deep learning algorithm, support face images capture and facial attributes analysis

### IVS-F7200



- Real time compare the capture face image with the image in register libra
- Dynamic comparison register library support up to 100,000 images.
- Detect the face from image automatically, and compare with register face
- Support up to 4 channels 1080P detection
- Standalone Version

### IPC-HDBW5231E-Z



- 1/2.8" 2Megapixel progressive scan Exmor CMOS
- 50/60fps@1080(1920×1080)
- Smart Detection supported
- 2.7mm ~12mm motorized lens
- Max. IR LEDs Length 50m
- Micro SD memory, IP67, IK10, PoE

### IPC-EBW81230



- 1/1.8" 6Megapixel progressive scan STARVIS™ CMOS
- H.265/H.264 triple-stream encoding
- Max 25/30fps@6M(3072x2048)
- Multiple dewarped Mode
- Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Smart detection
- Intelligent Function
- Max. IR LEDs length 10m
- Micro SD memory, IP67, IK10, PoE

### IPC-HF5231-Z



- 1/2.8" 2Megapixel progressive scan Exmor CMOS
- 50/60fps@1080P(1920×1080)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- 2/1 Alarm in/out, 1/1 audio in/out(Built-in Mic)
- Auto back focus(ABF)
- Micro SD memory, PoE

### HAT200-N2



- Hi-fidelity full duplex intercom
- Support master and slave volume adjustment
- Record the audio and video simultaneously
- Support wide dynamic range
- Face detection
- The metal fuselage, full touch buttons

### IPC-HUM8231-E2



- H.265&H.264 double-stream encoding
- 25/30fps@1080P(1920×1080)
- Day/Night(Electronic), WDR, 3DNR, AWB, AGC, BLC
- Smart detection
- Micro SD memory, PoE
- Multiple Lens Unit optional
- Support connecting with 2 Lens Units



## PRODUCT SHOWCASE

### IPC-HUM8231-L1



- 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS
- Day/Night(Electronic), WDR
- 2.8mm Fixed Pinhole Lens
- 8-meters cable
- Require a Main Box to work together

### IPC-HDBW4830E-AS



- 1/2.5" 4K progressive scan STARVIS™ CMOS
- H.265/H.264 dual-stream encoding
- 15fps@4K(3840×2160), 25/30fps@3M(2304×1296)
- DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 4mm fixed lens
- Max. IR LEDs Length 30m
- IP67, IK10, PoE

### HCVR0804AH-VD-I



- Tribrid: Support HDCVI/Analog/IP video input
- Up to 8 cameras with SXGA(1280×1024) display
- Face Recognition: Normal face recognition, abnormal face recognition and multi-face recognition
- ATM Protection: Fake keyboard detection, fake card reader detection
- Scene Application: Tripwire detection, cross warning zone detection, abandoned/moved object detection and etc.
- Built-in kinds of ATM card number protocols, support bank card number and multi-information overlay.
- Built-in 7 inch screen

### NVR608-32-4KS2



- Intel Processor
- Max 32 IP Camera Inputs
- Max 384Mbps Incoming Bandwidth
- Up to 12MP Resolution for Preview and Playback
- Supports RAID 0/1/5/6/10/50/60
- Smart Tracking and Intelligent Video

### DSS7016



- High-performance stream media transfer and storage capability
- Support local storage and IP-SAN storage
- Front panel can displays system service status
- Max support 2000 channels
- Support 10000 accounts management
- Support 700M transfer capability

### EVS5016S-R





- Intel Processor
- Max 512 IP Camera Inputs
- Max 1024Mbps Incoming/recording Bandwidth
- 16 HDDs, SATA, Hot-Swap
- Supports RAID 0/1/3/4/5/6/10/50/60/ JBOD, Hotspare
- iSCSI and Mini SAS for Expanded Storage Space
- Support standard iSCSI Protocol Storage
- Modular&Cableless Design
- Redundant Power

### DHL460UTS-E



- Industrial level DID LCD panel, suitable for extensive 7×24 continuous works.
- High contrast and high brightness
- High fidelity digital processing and vivid video.
- Built-in 3D COMB filter and 3D Noise Reduction
- Brightness smart detection, power-saving
- Using Tamper-proof metal housing, no radiation

## PRODUCT OVERVIEW

Product	Description	Outdoor	Entrance	Lobby	Cash Transaction Area	ATM area	Security Center
 IPC-PFW8800-A180	Multi-Lens Panoramic Network IR Bullet Camera	●					
 IPC-HF8242F-FD	2MP Starlight Face Detection Box Network Camera		●				
 IVS-F7200	Intelligent video analysis server		●				
 IPC-HDBW5231E-Z	2MP WDR IR Dome Network Camera			●			
 IPC-EBW81230	360° panomorph camera			●			
 IPC-HF5231E	2MP WDR Box Network Camera				●		
 HAT200-N2	Window Intercom				●		
 IPC-HUM8231-E2	2x2MP Covert Pinhole Network Camera-Main Unit					●	
 IPC-HUM8231-L1	2MP Covert Pinhole Network Camera-Lens Unit					●	
 IPC-HDBW4830E-AS	8MP IR Mini-Dome Network Camera					●	
 HCVR0804AH-VD-I	8 Channel Tribrid Intelligent ATM DVR					●	
 NVR608-32-4KS2	32 Channel Ultra 4K H.265 Network Video Recorder						●
 DSS7016	General Surveillance Management Centre						●
 EVS5016S-R	16-HDD Enterprise Video Storage						●
 DHL460UTS-E	46" Full-HD Video Wall Display Unit (Ultra Narrow Bezel 3.5mm)						●

## SUCCESS CASE



### Bank of China

All the branches connect to the headquarter of Bank of China by national network, the solution integrated video, alarm, access control, intercom, and other important large-screen display subsystem, Dahua solution using three cascaded architecture, consist of headquarter, branches and sub-branches, involving 360 monitoring and control center, access to more than 600,000 cameras, more than 300,000 alarm devices.



### SANASA Development Bank, Sri Lanka

Dahua provided the bank with a cost-effective, customized, high-definition IP security solution, designed for stability and reliability. The new system includes surveillance cameras and DVRs, as well as intelligent security software. A number of different camera models were chosen to cover all areas of the bank, including offices, counters, and ATM.



### Alkuraimi Islamic Microfinance Bank, Yemen

Dahua provided a high-end upgrade solution which includes cameras, storage devices and control management software, More than 97 branches that scattered around the country are applied with thousands of Dahua cameras and hundreds of NVRs.



### EcolIslamic Bank, Kyrgyzstan

Dahua provided 150 units of network camera, 129 units of 800TVL analog camera, and 124 units of Hybrid DVR for EcolIslamic Bank. The hybrid DVR turned out to be a right solution on addressing problems of mixed systems where both analog and network cameras have been applied.



### Bank of Brazil

Dahua upgrades the whole monitor system in the bank very successfully, the system is not only involves many cities in Brazil but also uses more than 20,000 units of analog camera and 1,500 units of DVR.



### Caixa Econômica Federal, Brazil

Founded in 1861, Caixa Econômica Federal has over 150 years of history, It is one of the only two state-owned banks in Brazil and own more than 4000 branches, Dahua provide bank solution as the bank's requirement, the solution include more than 4000 HD network cameras, 400 NVRs and Storages



### Bank BMCI, Morocco

Concerning that the bank has already covered with analog structure, Dahua offered a hybrid solution — megapixel cameras with higher image quality, easier management and hybrid DVRs. The solution selected megapixel HD network cameras for more than a thousand units as a total and three to four camera units with a hybrid DVR per branch. "With Dahua's good quality and services, BMCI is confident to handle with emergency and standardize the internal management," said Afaf Raid, the manager of Bank BMCI.



## ENABLING A SAFER SOCIETY AND SMARTER LIVING

**Dahua Mexico**

Tel: +52 55 67231936  
Email: sales.mx@global.dahuatech.com

**Dahua Brazil**

Tel: +55 11 32511871  
Email: comercial.br@global.dahuatech.com

**Dahua Thailand**

Tel: +66 29382674  
Email: info.th@global.dahuatech.com  
hr.th@global.dahuatech.com

**Dahua S.Korea**

Tel: +82 7081618889  
Email: DH-KOREA@global.dahuatech.com

**Dahua Singapore**

Tel: +65 65380952  
Email: info.sg@global.dahuatech.com

**Dahua Turkey**

Email: sales.tr@global.dahuatech.com

**Dahua Indonesia**

Email: support.id@global.dahuatech.com  
sales.id@global.dahuatech.com

**Dahua India**

Tel: +91 1244569100  
Email: sales.india@global.dahuatech.com

**Dahua Russia**

Tel: +7 (499) 682-60-00  
Email: info@global.dahuatech.com

**Dahua Kazakhstan**

Tel: +7 727 3110838

**Dahua UK**

Tel: +44(0)1628 673 667  
Email: sales.UK@global.dahuatech.com

**Dahua Europe**

Tel: +31 797999696

**Dahua France**

Email: sales.france@global.dahuatech.com

**Dahua Iberia**

Tel: +34 917649862  
Email: sales.iberia@global.dahuatech.com

**Dahua Italy**

Tel: +39 3703446609  
Email: sales.italy@global.dahuatech.com

**Dahua Germany**

Email: sales.de@global.dahuatech.com

**Dahua CEE & Nordic**

Tel: +48 223957400  
Email: biuro.pl@global.dahuatech.com

**Dahua S. Africa**

Email: Dahua.sa@global.dahuatech.com

**Dahua Australia**

Tel: +61 299285200  
Email: sales.oc@global.dahuatech.com

**Dahua Middle East**

Tel: +971 48815300  
Email: sales.me@global.dahuatech.com

\* Design and specifications are subject to change without notice.

Integrated Security Solution for Banking & Finance - 05, Jan 2018

**DAHUA TECHNOLOGY**

No.1199 Bin'an Road, Binjiang District, Hangzhou, China. 310053

Tel: +86-571-87688883 Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuasecurity.com

