

s

# Speed Dome Baseline V2.622.0000000.5.R

## Version User Manual

### ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.

### Copyright

© 2017 ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.. All rights reserved.

Any or full contents of the user's manual cannot be copied, transmitted, distributed or stored, partially or wholly, by any means, without the prior written notice of ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD. (hereinafter "Dahua").

Dahua or the third party may reserve the right of the software described in this user's manual. Without the prior written approval of the corresponding party, any person cannot copy, distribute, amend, abstract, reverse compile, disassemble, decode, reverse engineering, rent, transfer or sub-license the software.

### Trademark

(a)hua, (a)hua and HDCVI are the trademarks or registered

trademarks of the Dahua in various jurisdictions.

HDMI logo, HDMI and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. This product has been authorized by HDMI Licensing LLC to use HDMI technology.

VGA is the trademark of IBM.

Windows logo and Windows are trademarks or registered trademarks of Microsoft.

Other trademarks and company names mentioned are the properties of their respective owners.

#### **About this Document**

This document is for reference only. Please refer to the actual product for more details.

This document serves as a reference for multiple types of products, whose specific operations won't be enumerated. Please operate according to actual products.

The user shall undertake any losses resulting from violation of guidance in the document.

- In case that PDF document cannot be opened, please upgrade the reading tool to the latest version or use other mainstream reading tools.
- This company reserves rights to revise any information in the document anytime; and the revised contents will be added to the new version without prior announcement. Some functions of the products may be slightly different before and after revision.
- The document may include technically inaccurate contents, inconsistencies with product functions and operations, or misprint. Final explanations of the company shall prevail.

# Contents

Versio	n Info	1
1	Version Basic Info	1
2	Newly Added or Enhanced Functions	2
3	Fix Bugs	2
	Version Matched Info	

## 1 Version Basic Info

Product Name	V2.622.000000.5.R.180316
Software Package Info	DH_SD-Mao-Nova_Eng_P_Stream3_V2.622.0000000.5.R.180316.zip DH_SD-Mao-Nova_EngSpnFrn_N_Stream3_V2.622.0000000.5.R.180316.zip General_SD-Mao-Nova_Eng_N_Stream3_V2.622.0000000.5.R.180316.zip General_SD-Mao-Nova_Eng_P_Stream3_V2.622.0000000.5.R.180316.zip DH_SD-Chen-Nova_Eng_P_Stream3_V2.622.0000000.5.R.180316.zip DH_SD-Chen-Nova_EngSpnFrn_N_Stream3_V2.622.0000000.5.R.180316.zip General_SD-Chen-Nova_Eng_N_Stream3_V2.622.0000000.5.R.180316.zip General_SD-Chen-Nova_Eng_N_Stream3_V2.622.0000000.5.R.180316.zip
ONVIF Version	16.12(V2.4.1.516943)
WEB Version	3.2.1.556759
Applicable Models	DH-SD6AL830V-HNI; DH-SD6AL830V-HNI-IR; DH-SD6AE830V-HNI; DH-SD10A248V-HNI; DH-SD6AE240V-HNI; DH-SD56230V-HNI; DH-PTZ12248V-IRB-N; DH-PTZ12248V-LR8-N; DH-PTZ19240V-IRB-N; DH-PTZ19240V-IRB-N-B

## 2 Newly Added or Enhanced Functions

Function		

## **3** Fix Bugs

#### **Fixed Bugs**

It fixed the problem of active registration for the English program.

It has updated the judgement condition of photosensor value (Click it to reboot the PTZ, keep the image color if it is color before reboot; keep the image black and white temporarily if the image is black and white. Meanwhile, ICR algorithm is switched according to brightness before PTZ reboot is completed which means before it has successfully acquired ADC value, it will switch ICR if image brightness meets the requirements during the process. It is no longer fixed color or black and white)

### 4 Version Matched Info

• NVR NVR5832-4K / NVR5208-4KS2:

DH\_NVR5XXX-4K\_Eng\_V3.210.0003.0.R.20170418.zip

Client SmartPSS:

DH\_SmartPSS\_ChnEng\_IS\_V2.00.2.R.20170525.zip

General\_SmartPSS\_ChnEng\_IS\_V2.00.2.R.20170525.zip

• Client Easy4IP:

IOS V2.2 / Android V2.2

• Player:

General\_Player\_Chn\_WIN32\_V3.44.0.R.170421.zip

ConfigTool:

General\_ConfigTool\_ChnEng\_V4.07.0.R.20170415.zip

Keyboard NKB3000:

General\_NETKB3000\_Eng\_P\_V2.610.0000.5.R.20160118.zip

Keyboard NKB1000:

General\_NETKB1000\_Eng\_V2.610.0000.4.R.20161024.zip