

# PDU



## 8 Outlet Rackmount Power Strip



### Feature

- Adopt temperature-controlled circuit break technology and built-in overcurrent protection circuit, in order to prevent fire completely;
- Large lightning current withstand capacity; rack mounting;
- Quick response time;
- Working status indicator inside.

### Technical Specifications

<b>Model</b>	ZZM10/PDU(8 European 250)	ZZM10/PDU(8 British 250)	ZZM10/PDU(8 USA 250)
Image			
<b>General</b>			
Input Rated Voltage	Max. 250Vac	Max. 250Vac	Max. 250Vac
Load Current	16A	13A	10A
Max. Load Power	4000W	3250W	2500W
Input Plug/Cable	European/1.5mm <sup>2</sup> , 2m	British/1.5mm <sup>2</sup> , 2m	North American/1.3mm <sup>2</sup> , 3m
Output Plug	8 outlet 3-pin European	8 outlet 3-pin British	8 outlet 3-pin, Universal (North American)
Protection	Overload protection module and switch	N/A (no extra space)	Overload protection module and switch
Installation	Horizontal, rackmount in the 19" cabinet		
<b>Environmental</b>			
Operating conditions	-40°C~+70°C(-40°F~+158°F), ≤95% RH		
<b>Construction</b>			
Casing	Aluminium&steel		
Color	Black		
Dimensions	482.6mmx45mmx45mm (19"x1.77"x1.77")		
Net Weight	0.8kg(1.76lb)	0.8kg(1.76lb)	1.0kg(2.2lb)
Gross Weight	0.9kg(1.98lb)	0.9kg(1.98lb)	1.1kg(2.43lb)


### Order Information

Type	Part Number	Description
Cabinet	DH-PFC200-6U4D	19" 6U rock cabinet, depth 450mm, load bearing 40kg, support wall & plane mount
	DH-PFC200-6U6D	19" 6U rock cabinet, depth 600mm, load bearing 40kg, support wall & plane mount
	DH-PFC200-12U6D	19" 12U rock cabinet, depth 600mm, load bearing 80kg (shaft: 40kg), support wall & plane mount
	DH-PFC200-12U8D	19" 12U rock cabinet, depth 800mm, load bearing 80kg (shaft: 40kg), support wall & plane mount
	PFC200-6U4D	19" 6U rock cabinet, depth 450mm, load bearing 40kg, support wall & plane mount
	PFC200-6U6D	19" 6U rock cabinet, depth 600mm, load bearing 40kg, support wall & plane mount
	PFC200-12U6D	19" 12U rock cabinet, depth 600mm, load bearing 80kg (shaft: 40kg), support wall & plane mount
	PFC200-12U8D	19" 12U rock cabinet, depth 800mm, load bearing 80kg (shaft: 40kg), support wall & plane mount


## Cabinet Series | PDU

Tray	PFC610	19" rackmount tray
	PFH101	19" rackmount tray
PDU	<b>ZZM10/PDU(8 European 250)</b>	8 Outlet rackmount PDU power strip, max. AC250V rated input, 16A/max. 4000W output, European
	<b>ZZM10/PDU(8 British 250)</b>	8 Outlet rackmount PDU power strip, max. AC250V rated input, 13A/max. 3250W output, British
	<b>ZZM10/PDU(8 USA 250)</b>	8 Outlet rackmount PDU power strip, max. AC250V rated input, 10A/max. 2500W output, North American plug input/ universal output
Fan	AA1252MB-AT	Rackmount cooling fan, AC220V input, 2200~2300 RPM
	AA1251MB-AT	Rackmount cooling fan, AC110V input, 2200~2300 RPM
Caster wheel	PFC650B-60	Caster wheel, steel&PU, each load bearing 60kg

### Dimensions (mm/inch)



### Application



### Package Information

- 8 Outlet rackmount PDU power strip \*1
- M6x10 screw \*4
- M6 cage nut \*4
- User instruction \*1