



Contactless Passage: Safeguarding Security with Ease

Dahua entrance turnstile



Long Lifecycle



Solid and Stable



Fast Speed



Accurate Detection



Flexible Security Settings

What is Dahua entrance turnstile?

Dahua turnstile is an integrated equipment that provides access control, turnstile control and alarm functions. It supports a variety of modular installations such as face recognition terminal, biometric fingerprint module, IC card reader, QR code reader and remote control. Combined with face recognition terminals, it is a solid and reliable component of a touchless face recognition access control solution. It is applicable for both indoor and outdoor environment.



| Highlights

• Hardware Performance




- MCBF≥5 million times
- SUS304 2.0mm

- 7 years lifecycle (2,000 passages per day)
- Solid enough to sustain collision with a regular adult



- 30 pairs of IR detectors
- 10mm anti-tailing distance

- Safe for children, pets and luggage bags
- More accurate detection for abnormal events



- 0.6s opening time
- Brushless servo motor

- 60 people/minute passage speed
- Avoids waiting in queue during rush hour

• Access Functions

9 Passage Modes

- Provides 9 different authentication methods for entry and exit that are suitable in different scenarios

Multiple Alarm Types

- Intrusion alarm
- Tailing alarm
- Overstaying alarm
- Climbing over turnstile gate alarm
- Abnormal unlocking alarm

4 Security Setting Levels


- The 4 security levels can monitor abnormal behaviors like tailing and intrusion, and provide different type of alarm and barrier control

Various Settings

- Light and voice alarm prompt
- Fire emergency function
- Entrance memory mode
- Second time unlock mode
- Automatic reset function






• Other Features





Products Selection

	ASGB6xxX-X	ASGB6xxK-X	ASGB8xxX-X	ASGB8xxY-X
				
Advantage	Mid-end, Suitable price, better performance		High-end, High performance, good quality	
Detection	12 pairs of IR detectors		30 pairs of IR detectors	
Cabinet Material	SUS304 1.5mm		SUS304 2.0mm	SUS304 1.5mm
Rust Protection Level	96H		210H	
Waterproof	/	IPX4	/	IPX4
Operating Temperature	-25℃ ~ 70℃		-10℃ ~ 60℃	-30℃ ~ 70℃
Operating Environment	Indoor	Outdoor	Indoor	Outdoor
Certifications	CE/FCC/ROHS			
Accessories				
				
Face Recognition Terminal	Fingerprint Module	QR Code Reader	Base	DSS Software

Application Scenarios



Office Building



School



Factory



Residential Area

* Design and specifications are subject to change without notice.

Ver. 1, Nov. 2020

DAHUA TECHNOLOGY

No.1199 Bin'an Road, Binjiang District, Hangzhou, China. 310053

Tel: +86-571-87688883 Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuasecurity.com

